

# TECHNICAL PROGRAM

## 2024 IEEE 42<sup>nd</sup> Electrical Insulation Conference (EIC)

**Date: Sunday, 02/June/2024**

<p><b>9:00am</b> - <b>12:00pm</b></p>	<p><b>Workshop on Electrification of Transportation</b> Location: <b>Nokomis-B</b> Chair: <b>Andrea Cavallini</b>, University of Bologna, Italy Electrification of Transportation Wrokshop</p>		
<p><b>1:30pm</b> - <b>5:30pm</b></p>	<p><b>Generator Winding Failure, case studies and repair methods</b> Location: <b>Nokomis-A</b> Chair: <b>Joël Pedneault-Desroches</b>, Hydro-Québec, Canada</p>	<p><b>Artificial Intelligence and Machine Learning</b> Location: <b>Nokomis-B</b> Chair: <b>Luiz Cheim</b>, Hitachi Energy, United States of America</p>	<p><b>Liquid Insulation Diagnostics and Field Condition Assessment</b> Location: <b>Nokomis-C</b> Chair: <b>Diego Robalino</b>, MEGGER Group, United States of America</p>
<p><b>6:00pm</b> - <b>7:00pm</b></p>	<p><b>Conference Opening + Main Keynote Speaker</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Stefano Bomben</b>, Ontario Power Generation, Canada</p>		
<p><b>7:00pm</b> - <b>10:00pm</b></p>	<p><b>Posters Session</b> Location: <b>Lakes Ballroom B</b> Chair: <b>Mark Winkeler</b>, ELANTAS PDG, Inc., United States of America</p>		
<p><b>Atmospheric Correction of DC Flashover along Short GPO-3, PPS, PP, and PE Surface</b> <b>Y. Liu, N. Guo, E. Karimi, L. Graber</b> Georgia Institute of Technology, United States of America</p>			
<p><b>Designing a Platform to Evaluate Metal Oxide Varistors for DC Circuit Breaker Applications</b> <b>Y. Liu, Z. Zhang, K. Chuong, Z. Jin, L. Garten, L. Graber</b> Georgia Institute of Technology, United States of America</p>			
<p><b>Lifetime Evaluation of High-frequency Voltage Endurance of Sheet Insulation Materials for Electric-Vehicle Motors</b> <b>Y. Tsukamoto<sup>1</sup>, S. Mukasa<sup>2</sup>, K. Haga<sup>2</sup>, Z. Timoransky<sup>3</sup>, K. Kandlbauer<sup>4</sup></b> 1: Nippon Rika Technologies Inc., Nihonmatsu, Japan; 2: Nippon Rika Technologies Inc., Mibu, Japan; 3: Nippon Rika Industries Corporation, Branch Office Austria, Austria; 4: Nippon Rika Inc., Marengo OH, USA</p>			
<p><b>Ageing Mechanism of PLA Based 3d-printed Solid Insulators</b> <b>A. P. Rojas<sup>1</sup>, F. Hague<sup>2</sup></b> 1: Department of Engineering Science, Sweet Briar College; 2: Department of Electrical and Computer Engineering, The University of Akron, United States of America</p>			
<p><b>Aramid based slot liners for low voltage electric motor applications</b> <b>N. Boulanger<sup>1</sup>, X. Jia<sup>1</sup>, N. Yaghini<sup>2</sup>, T. Sharifi<sup>2</sup>, E. Bengtsson<sup>3</sup>, S. Trey<sup>3</sup>, T. Wågberg<sup>1</sup></b> 1: Umeå University, Sweden; 2: Scania AB, Sweden; 3: Research Institutes of Sweden, Sweden</p>			
<p><b>The quadripole - an underrated component of partial discharge measurement</b> <b>D. W. Gross</b> Power Diagnostix Consult GmbH, Germany</p>			
<p><b>High Voltage Inductor Design and Implementation for Synthetic Testing of a Supercritical CO2 Circuit Breaker</b> <b>M. S. A. Hossain<sup>1</sup>, H. Shabani<sup>1</sup>, S. Catania<sup>1</sup>, Z. Jin<sup>2</sup>, L. Graber<sup>2</sup>, C. Park<sup>1</sup></b> 1: University of Wisconsin - Milwaukee, United States of America; 2: Georgia Institute of Technology, United States of America</p>			
<p><b>Breakdown characterization of transformer mineral oil on the pulsed and AC condition</b> <b>L. P. Silva Neto<sup>1</sup>, J. O. Rossi<sup>2</sup>, E. Antonelli<sup>1</sup>, R. G. Aredes<sup>1</sup></b> 1: Unifesp, Brazil; 2: INPE, Brazil</p>			

**Insulation Resistance Measurements of Medium-Voltage Cross-linked Polyethylene Cables under Thermal Stresses**

**X. Ge, F. Fan, M. Given, B. Stewart**

Institute for Energy and Environment, University of Strathclyde, United Kingdom

**Effect of Total Gap Distance on Breakdown Voltage of Live-Line Work Air Gaps**

**T. Ding<sup>1</sup>, J. Gao<sup>1</sup>, T. Jiang<sup>1</sup>, K. Liu<sup>2</sup>, Y. Liu<sup>2</sup>, J. Liu<sup>2</sup>**

1: College of Electrical and Information Engineering, Hunan University, Changsha, China; 2: State Key Laboratory of Power Grid Environmental Protection, China Electric Power Research Institute, Wuhan, China

**Investigating the Impact of Pulse Rise Time in PEA Methods: A Simulation Study**

**A. Saeed, B. Stewart**

University of Strathclyde, United Kingdom

**Signal Analysis of Partial Discharge Defects in SF6 and C4F7N/CO2 Mixture**

**T. Y. Hong, Y. W. Youn, J. H. Cho, J. H. Sun**

Korea Electrotechnology Research Institute(KERI), Korea, Republic of (South Korea)

**DC Needle-Plane PD Measurements with Superimposed Harmonics**

**S. Shahtaj<sup>1</sup>, F. Fan<sup>1</sup>, A. Arshad<sup>2</sup>, B. Stewart<sup>1</sup>**

1: University of strathclyde, United Kingdom; 2: Glasgow Caledonian University, United Kingdom

**A model based on the finite element method for estimating the impacts of saline pollution on high voltage insulators**

**A. B. F. de Oliveira<sup>1</sup>, E. d. S. Araújo<sup>1</sup>, G. V. R. Xavier<sup>1</sup>, B. V. S. Araújo<sup>1</sup>, G. A. Rodrigues<sup>1</sup>, U. D. E. d. S. Lebre<sup>2</sup>, C. A. Cordeiro<sup>2</sup>, T. V. Ferreira<sup>1</sup>**

1: Universidade Federal de Sergipe, INESC P&D Brasil, Brazil; 2: Eneva S.A., Brasil

**Methods for mapping salt pollution deposition in insulation**

**E. d. S. Araújo<sup>1</sup>, A. B. F. de Oliveira<sup>1</sup>, G. V. R. Xavier<sup>1</sup>, B. V. S. Araújo<sup>1</sup>, G. A. Rodrigues<sup>1</sup>, U. D. E. d. S. Lebre<sup>2</sup>, C. A. Cordeiro<sup>2</sup>, T. V. Ferreira<sup>1</sup>**

1: Universidade Federal de Sergipe, INESC P&D Brasil, Brazil; 2: Eneva S.A., Brazil

**Improving the Microstructure of ZnO-Based Metal Oxide Varistors Using Cold Sintering**

**K. Chuong, Y. Liu, L. Graber, L. Garten**

Georgia Tech, United States of America

Date: Monday, 03/June/2024

<p><b>10:00am</b> - <b>12:00pm</b></p>	<p><b>Rotating Machines - Oral Session 1</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Andrea Cavallini</b>, University of Bologna, Italy</p>	<p><b>Transformers &amp; Reactors - Oral Session 1</b> Location: <b>Lakes Ballroom C</b> Chair: <b>Mathieu Lachance</b>, OMICRON electronics Canada Corp, Canada</p>	<p><b>Insulation Coordination - Oral Session 1</b> Location: <b>Lakes Ballroom D</b> Chair: <b>Brian Stewart</b>, University of Starthclyde, United Kingdom</p>
	<p><b>10:00am - 10:24am</b> <b>Coils design influence on corona inception</b> <b>C. S. Goncalves</b>, R. L. Sartori, W. Trentin, R. Morsch WEG, Brazil</p>	<p><b>10:00am - 10:24am</b> <b>Thermal Aging Performance of Enhanced Cellulose Insulation in Natural Ester Liquid</b> <b>B. Greaves</b><sup>1</sup>, T. Prevost<sup>1</sup>, J. E. Contreras<sup>2</sup>, J. Rodriguez<sup>2</sup>, C. Gaytan<sup>2</sup> 1: Weidmann Electrical Technology Inc., St.Johnsbury, Vermont, United States of America; 2: Prolec GE Applied Research Center (CIAP), Apodaca, Nuevo Leon, Mexico</p>	<p><b>10:00am - 10:24am</b> <b>Preventing Space Charge Injection and Accumulation Using Electrets Under Steep Voltage Pulses with Varying Frequency and Duty Cycle</b> <b>P. C. Saha</b>, O. Faruqe, A. M. Juberi, <b>C. Park</b> University of Wisconsin-Milwaukee, United States of America</p>
	<p><b>10:24am - 10:48am</b> <b>Forensic Analysis and Coil Dissection of Mobile Generator Failure</b> <b>H. W Penrose</b> MotorDoc LLC, United States of America</p>	<p><b>10:24am - 10:48am</b> <b>Special considerations for insulation design of high voltage delta connected windings</b> <b>W. Ziomek</b><sup>1</sup>, K. Vijayan<sup>1</sup>, K. Kuby<sup>1</sup>, T. Prevost<sup>2</sup> 1: PTI Transformers LP, Canada; 2: Weidmann Electrical Technology Inc.</p>	<p><b>10:24am - 10:48am</b> <b>Partial Discharge Monitoring to Predict Failures in 230 kV GIS Substation using UHF and Ultrasonic Sensors</b> <b>R. Birla</b>, <b>S. Mohammad</b>, G. Hashmi, M. Zahrani Saudi Aramco, Saudi Arabia</p>
	<p><b>10:48am - 11:12am</b> <b>Electrical tree propagation in epoxy resin under superimposed sinusoidal and repetitive pulse waveforms for converter-fed motor insulation</b> <b>T. Umemoto</b><sup>1</sup>, M. Sato<sup>1</sup>, A. Yoshida<sup>2</sup>, K. Hidaka<sup>2</sup>, Y. Yamanaka<sup>3</sup>, T. Yamada<sup>4</sup>, T. Okamoto<sup>4</sup>, A. Kumada<sup>1</sup> 1: The University of Tokyo, Japan; 2: Tokyo Denki University, Japan; 3: Mitsubishi Electric Corporation, Japan; 4: Toshiba Mitsubishi-Electric Industrial Corporation, Japan</p>	<p><b>10:48am - 11:12am</b> <b>Mechanical and Thermal Properties of Epoxy Containing Aluminum Isopropoxide Precursors Compared to Aluminum Oxide</b> <b>Z. Jin</b><sup>1</sup>, L. Graber<sup>1</sup>, S. Ghosh<sup>1</sup>, G. Langston<sup>1</sup>, T. Uhrik<sup>1</sup>, Y. Liu<sup>1</sup>, N. Stingelin<sup>1</sup>, K. Kalaitzidou<sup>1</sup>, U. Levy<sup>2</sup>, N. Tal<sup>2</sup> 1: Georgia Institute of Technology, United States of America; 2: SolarEdge, Israel</p>	<p><b>10:48am - 11:12am</b> <b>Influence of UHF Filters on Partial-Discharge Measurement in Gas-Insulated Switchgear</b> <b>S. Nobel</b>, <b>M. Söller</b>, M. Chapman Power Diagnostix Systems GmbH, Germany</p>
	<p><b>11:12am - 11:36am</b> <b>Dissection techniques used to assess the root cause after a phase-to-ground fault on hydro-generator stator bars</b> <b>H. Provencher</b><sup>1</sup>, M. Levesque<sup>1</sup>, D. Lalancette<sup>1</sup>, J. Pedneault-Desroches<sup>2</sup>, E. Cloutier-Rioux<sup>2</sup>, Y. D. Seol<sup>2</sup> 1: Institut de Recherche d'Hydro-Québec, Canada; 2: Hydro-Québec, Canada</p>	<p><b>11:12am - 11:36am</b> <b>Structure-Activity Relationship Models for Properties of the Dielectric Fluids</b> <b>M. Zhang</b>, H. Hou, <b>B. Wang</b> College of Chemistry and Molecular Sciences, Wuhan University, China, People's Republic of</p>	<p><b>11:12am - 11:36am</b> <b>The Effect of Long Term Corona Discharge on Protrusion Characteristics in C4F7N / CO2 and SF6</b> <b>E. Karimi</b><sup>1</sup>, Z. Jin<sup>1</sup>, A. Laso<sup>2</sup>, M. Mucha<sup>2</sup>, L. Graber<sup>1</sup> 1: Georgia Tech University, United States of America; 2: G&amp;W Electric Company, United States of America</p>
	<p><b>11:36am - 12:00pm</b></p>		<p><b>11:36am - 12:00pm</b> <b>New approach for air humidity correction factor under positive switching impulses for indoor applications</b></p>

	<p><b>Experience With Hydro-Generator Stator Core Failure, Investigation, and Recommendation</b></p> <p><b>W. Hong, M. Arshad</b></p> <p>British Columbia Hydro and Power Authority, Canada</p>		<p><b>L. Arevalo, N. Mahant, O. Diaz</b></p> <p>Hitachi Energy - HVDC, Sweden</p>
<p><b>1:30pm - 3:30pm</b></p>	<p><b>Transformers &amp; Reactors - Oral Session 2</b></p> <p>Location: <b>Lakes Ballroom A</b></p> <p>Chair: <b>Waldemar Ziomek</b>, PTI Transformers LP, Canada</p>	<p><b>Rotating Machines - Oral Session 2</b></p> <p>Location: <b>Lakes Ballroom C</b></p> <p>Chair: <b>Andrea Cavallini</b>, University of Bologna, Italy</p>	<p><b>Insulation Coordination - Oral Session 2</b></p> <p>Location: <b>Lakes Ballroom D</b></p> <p>Chair: <b>Chanyeop Park</b>, University of Wisconsin-Milwaukee, United States of America</p>
	<p><b>1:30pm - 1:54pm</b></p> <p><b>Discrete Elements Thermo-Chemical Digital Twin Incorporating Oil and Paper Degradation</b></p> <p><b>A. Sbravati<sup>1</sup>, L. Cheim<sup>1</sup>, M. Finn<sup>1</sup>, M. Marciniak<sup>2</sup></b></p> <p>1: Hitachi Energy, United States of America; 2: Hitachi Energy, Poland</p>	<p><b>1:30pm - 1:54pm</b></p> <p><b>Dissection of stator winding insulation HVRM, VPI insulation</b></p> <p><b>A. Gegenava, A. Khazanov</b></p> <p>National Electric Coil, United States of America</p>	<p><b>1:30pm - 1:54pm</b></p> <p><b>Risk Mitigation through Transient Protection of Transformer Bushings when Using Online Monitoring</b></p> <p><b>H. Löfås, R. Berg, L. Jonsson, R. Hedlund</b></p> <p>Hitachi Energy Sweden AB, Sweden</p>
	<p><b>1:54pm - 2:18pm</b></p> <p><b>Determination of Moisture Content during Dynamic Loading of Liquid-Filled Distribution Transformers</b></p> <p><b>A. Al-Abadi<sup>1</sup>, A. Gamil<sup>1</sup>, A. Sbravati<sup>2</sup></b></p> <p>1: HITACHI Energy Germany; 2: HITACHI Energy USA</p>	<p><b>1:54pm - 2:18pm</b></p> <p><b>Insulation System Development and an honest interpretation of results</b></p> <p><b>K. Thatcher, B. George</b></p> <p>Von Roll USA, United States of America</p>	<p><b>1:54pm - 2:18pm</b></p> <p><b>CFD simulation and design of a new supercritical CO2 circuit breaker contact and nozzle system</b></p> <p><b>Z. F. G. Wong, N. Guo, S. Neall, Z. Jin, L. Graber, J. Rauleder</b></p> <p>Georgia Institute of Technology, United States of America</p>
	<p><b>2:18pm - 2:42pm</b></p> <p><b>Low Temperature Behaviour of Natural Ester Dielectric Liquids</b></p> <p><b>K. Wirtz, Q. Hoang</b></p> <p>Cargill, Inc., United States of America</p>	<p><b>2:18pm - 2:42pm</b></p> <p><b>Experience and Techniques for Stator Bars Repair in Hydro-generators</b></p> <p><b>J. Pedneault-Desroches<sup>1</sup>, M. Lévesque<sup>1</sup>, K. Al-Haddad<sup>2</sup></b></p> <p>1: Hydro-Québec, Canada; 2: École de Technologie Supérieure</p>	<p><b>2:18pm - 2:42pm</b></p> <p><b>Design and Fabrication of A 72-kV Bushing for the TESLA Breaker</b></p> <p><b>Z. Jin<sup>1</sup>, Y. Liu<sup>1</sup>, A. Cruz<sup>1</sup>, A. S. Sukhwani<sup>2</sup>, A. R. Krishnan<sup>1</sup>, G. J. Langston<sup>1</sup>, S. Ghosh<sup>3</sup>, T. Uhrig<sup>4</sup>, K. Kalaitzidou<sup>2</sup>, L. Graber<sup>1</sup></b></p> <p>1: School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, USA; 2: School of Mechanical Engineering, Georgia Institute of Technology, Atlanta, USA; 3: School of Chemical and Biomolecular Engineering, Georgia Institute of Technology, Atlanta, USA; 4: School of Aerospace Engineering, Georgia Institute of Technology, Atlanta, USA</p>
	<p><b>2:42pm - 3:06pm</b></p> <p><b>On Challenges of Using Insulation Natural Ester liquid: Transformer Cold Start</b></p> <p><b>A. Gamil, A. Al-Abadi</b></p> <p>Hitachi Energy Germany AG, Germany</p>	<p><b>2:42pm - 3:06pm</b></p> <p><b>Optimizing Electric Vehicles Motor Insulation: Tailoring Surface Charges and Thermal Transients through Plasma Modification</b></p> <p><b>S. Akram, I. Ul Haq, Z. Fang, X. Zhu</b></p> <p>Nanjing Tech University, Nanjing, China, People's Republic of</p>	<p><b>2:42pm - 3:06pm</b></p> <p><b>Enhancing Wind Farm Reliability through Offline Partial Discharge Testing with Damped AC Technique</b></p> <p><b>Y. Godhwani, B. Cursey, S. Farhang</b></p> <p>Megger</p>
		<p><b>3:06pm - 3:30pm</b></p> <p><b>Historical Trends in Use of Accelerated Aging and Diagnostic Tests for Qualification of Stator Bar/Coil Insulation</b></p>	

		<p><b>R. Soltani, R. Demegillo</b> Powertech Labs, Canada</p>	<p><b>3:06pm - 3:30pm</b> <b>Theoretical Characterizations on Novel Eco-friendly Dielectric Gas: Trifluoromethyl Carbonofluoridate</b> <b>M. Zhang, H. Hou, B. Wang</b> College of Chemistry and Molecular Sciences, Wuhan University, China, People's Republic of</p>
<p><b>4:00pm - 5:30pm</b></p>	<p><b>Rotating Machines - Oral Session 3</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Émilie Cloutier-Rioux</b>, Hydro-Quebec, Canada</p>	<p><b>Outdoor Insulation, Cables, and Accessories - Oral Session 1</b> Location: <b>Lakes Ballroom C</b> Chair: <b>James Steele</b>, Southwire, LLC, United States of America</p>	<p><b>Power Electronics in the Electrical Grid - Oral Session 1</b> Location: <b>Lakes Ballroom D</b> Chair: <b>Gian Carlo Montanari</b>, Florida State University, United States of America</p>
	<p><b>4:00pm - 4:24pm</b> <b>Evaluation of the Dissection of Coils for Stator Winding for High Voltage Rotating Machines</b> <b>A. Khazanov, A. Gegenava</b> National Electric Coil, United States of America</p>	<p><b>4:00pm - 4:24pm</b> <b>High aspect ratio novel ceramic filler composites with nonlinear current voltage characteristics for power applications</b> <b>D. Ghosh, G. B. Jin</b> 3M, United States of America</p>	<p><b>4:00pm - 4:24pm</b> <b>Silane Functional Stabilizers for Underground Cable Rejuvenation Fluid</b> <b>D. Busby, J. Steele, W. Chatterton</b> Southwire, LLC, United States of America</p>
	<p><b>4:24pm - 4:48pm</b> <b>Novel variable edge time solid state pulse generator for improved dielectric material aging</b> <b>M. Damev<sup>1</sup>, N. Frost<sup>2</sup></b> 1: Phenix Technologies, a Doble Company, United States of America; 2: Frosty's Zap Lab, LLC, United States of America</p>	<p><b>4:24pm - 4:48pm</b> <b>Non Intrusive Detection of Ceramic Disc Punctures in Outdoor Insulator Strings</b> <b>A. Lutfi<sup>1</sup>, A. El-Hag<sup>1</sup>, K. Shaban<sup>2</sup></b> 1: University of Waterloo, Canada; 2: Qatar University</p>	<p><b>4:24pm - 4:48pm</b> <b>Mitigating High Electric Field Stresses in Power Modules Utilizing Field Grading Materials</b> <b>O. Faruqe, P. C. Saha, A. M. Juberi, C. Park</b> University of Wisconsin-Milwaukee, United States of America</p>
	<p><b>4:48pm - 5:12pm</b> <b>On the effects of repetitive high-frequency voltage impulses on modern high-voltage insulation systems</b> <b>M. J. da Silva, M. Wiesenhofer, W. Ladstaetter</b> ANDRITZ HYDRO GmbH, Austria</p>	<p><b>4:48pm - 5:12pm</b> <b>Fabrication and Characterization of Crosslinked Polyethylene /Polyhedral Oligomeric Silsesquioxane Nanocomposites</b> <b>P. THOMAS, V NITHYA, N. MOUMITA, P V SATHEESH KUMAR</b> CENTRAL POWER RESEARCH INSTITUTE, India</p>	<p><b>4:48pm - 5:12pm</b> <b>Dielectric and Thermal Analysis of Diamond-Like Carbon Incorporated Power Substrates</b> <b>A. M. Juberi, O. Faruqe, P. C. Saha, C. Park</b> University of Wisconsin Milwaukee, United States of America</p>
	<p><b>5:12pm - 5:36pm</b> <b>Dissecting IEEE 1310: A Critical Examination and Ideas for Improvements</b> <b>M. J. da Silva, R. Mlecnik, G. Lemesch, W. Ladstaetter</b> ANDRITZ HYDRO GmbH, Austria</p>	<p><b>5:12pm - 5:36pm</b> <b>Unexplained Flashovers on High Voltage Direct Current Transmission Lines under Negative Polarity Voltages</b> <b>J. Laninga<sup>1,3</sup>, N. Jacob<sup>2,3</sup>, B. Kordj<sup>3</sup></b> 1: Manitoba Hydro; 2: Camlin Energy; 3: University of Manitoba</p>	<p><b>5:12pm - 5:36pm</b> <b>Statistical Analysis of Partial Discharge Mitigation Performance of Electret in High Power Density System</b> <b>F. Haque<sup>1</sup>, C. Park<sup>2</sup></b> 1: Department of Electrical and Computer Engineering, The University of Akron; 2:</p>

			Department of Electrical Engineering, University of Wisconsin-Milwaukee
--	--	--	----------------------------------------------------------------------------

Date: Tuesday, 04/June/2024

10:00am  
-  
12:00pm

**Posters Session**

Location: **Lakes Ballroom B**

Chair: **Adam Balawejder**, Curtiss Wright, United States of America

**Optimizing the Impact of Pour Point Depressants on Natural Ester Properties Using Taguchi-Grey Relational Analysis**

**S. O. OPARANTI**, I. FOFANA, R. J. Aminabadi, Z. Ramzi  
Université du Québec à Chicoutimi, Canada

**Voltage Endurance of Mechanically Fatigued Epoxy-Fiberglass Laminate**

**A. T. Wilder<sup>1</sup>**, **N. E. Frost<sup>2</sup>**, **A. Mosier<sup>3</sup>**

1: Wilder Innovations LLC, United States of America; 2: Frosty's Zap Lab LLC, United States of America; 3: Mosier Consulting

**Preliminary Investigation of Arc Quenching in Supercritical CO<sub>2</sub>**

**A. J. Cruz Feliciano<sup>1</sup>**, **S. M. Neall<sup>1</sup>**, **S. Hossain<sup>2</sup>**, **N. Guo<sup>1</sup>**, **Z. Jin<sup>1</sup>**, **C. Park<sup>2</sup>**, **L. Graber<sup>1</sup>**

1: Georgia Institute of Technology, United States of America; 2: University of Wisconsin-Milwaukee, United States of America

**Numerical Calculation and Analysis of Temperature Rise in Power Transformers with Different Insulating Liquids**

**S. Wang<sup>1</sup>**, **G. Wang<sup>2</sup>**, **W. Dai<sup>1</sup>**, **R. Zhuo<sup>2</sup>**, **Q. Peng<sup>1</sup>**, **M. Gao<sup>2</sup>**, **D. Zou<sup>1</sup>**, **Z. Tang<sup>3</sup>**, **X. Zhang<sup>3</sup>**

1: Electric Power Research Institute of Yunnan Power Grid Co.,Ltd Kunming,China; 2: CSG Electric Power Research Institute Co.,Ltd Guangzhou, China; 3: State Key Laboratory of Electrical Insulation and Power Equipment, Xi'an Jiaotong University, Xi'an, China

**Aluminum-epoxy bonding strength assessment based on modified butt joint sample**

**J. Korbel<sup>1</sup>**, **R. Kochetov<sup>1</sup>**, **X. Dong<sup>2</sup>**

1: Hitachi Energy Switzerland Ltd; 2: Hitachi Energy China Ltd

**An update to gram density calculations for resin rich high voltage coil designs**

**S. P. Caveney**

Electrolock, United States of America

**Development and Testing of Self-Triggering System for Laboratory Impulse Voltage Generators**

**M. P. Pereira**, **T. B. Sillio**, **G. P. Lopes**, **G. H. Faria**, **J. P. Villibor**, **E. T. Wanderley Neto**

UNIFEI Federal University of Itajuba, Brazil

**Research on the properties of water-tree in PP/POE composites for cable insulation**

**G. Ren<sup>1</sup>**, **Z. Wang<sup>2</sup>**, **P. Li<sup>2</sup>**, **K. Chen<sup>2</sup>**, **Z. Tang<sup>2</sup>**, **M. Xu<sup>2</sup>**

1: State Grid Zhejiang Electric Power Co., Ltd.; 2: Xi'an Jiaotong University, China, People's Republic of

**Characterisation of Interfacial Tracking in Solid Insulation Interfaces Using Partial Discharge Measurements**

**P. Donoso Daille<sup>1</sup>**, **V. Peesapati<sup>1</sup>**, **C. Smith<sup>2</sup>**, **K. Tavernier<sup>2</sup>**

1: The University of Manchester, United Kingdom; 2: IPEC Ltd

**Electric Field Modeling in Cable Terminals with Defects and Fed by Power Converters**

**M. Barrera Chávez<sup>1</sup>**, **F. P Espino Cortes<sup>2</sup>**, **R. Nuricumbo Guillen<sup>3</sup>**

1: Artech North América, México; 2: SEPI ESIME Zacatenco, Instituto Politécnico Nacional, México; 3: Escuela de Ingeniería y Ciencias, Departamento de Ciencias, Tecnológico de Monterrey Campus Ciudad de México

**Effect of Test Voltage on DC Polarization-Depolarization Measurements of Stator Winding Insulation**

**M. Sasic<sup>1</sup>**, **G. Stone<sup>2</sup>**

1: Iris Power, Canada; 2: Stone Dielectrics

**Experience with Dielectric Dissipation Factor Testing of Complete Stator Windings**

**A. Shaikh**, **H. Sedding**

Kinectrics, Canada

**A Study on the Insulation breakdown voltage according to degradation condition of natural ester oil**

**H. G. Jeong**, **S. Lee**, **J. Y. Park**, **J. Y. Park**, **C. Y. Bae**

LS ELECTRIC

	<p><b>A Practical Approach for Estimating Short Interturn Fault Severity in Turbo Rotor Generators Using RSO Measurements</b>  <b>Y. Baskoro</b>, A. Winardi, I. Jaya, A. Hamzah, Y. Saputra, K. Anam, R. Fakrin, M. Sanjaya, N. Afif  PT. PLN Indonesia Power, Indonesia</p> <p><b>Dielectric Testing of Composite Insulators</b>  <b>R. Cselko</b>, <b>D. Balogh</b>  Budapest University of Technology and Economics, Hungary</p> <p><b>Proposal of Method for Water Tree Propagation in XLPE power cables under Continuous Heating and Heat Cycle Conditions</b>  <b>T. Kurihara</b>, H. Misaka, T. Takahashi, T. Takahashi  Central Research Institute of Electric Power Industry, Japan</p>		
<p><b>1:30pm - 3:30pm</b></p>	<p><b>Workshop Outdoor Insulation</b>  Location: <b>Lakes Ballroom A</b></p> <p>Chair: <b>Vidyadhar Peesapati</b>, University of Manchester, United Kingdom</p>	<p><b>Rotating Machines - Oral Session 4</b>  Location: <b>Lakes Ballroom C</b>  Chair: <b>Aleksandr Khazanov</b>, National Electric Coil, United States of America</p> <p><b>1:30pm - 1:54pm</b>  <b>Detecting Thermomechanical Ageing of Rotating High-Voltage Machines: Investigating the Influence of the Time Between Mechanical Stress and Diagnostic Measurement</b>  <b>L. Elspass</b>, S. Schlegel, M. Kosse  Technische Universität Dresden, Germany</p> <p><b>1:54pm - 2:18pm</b>  <b>Implementation of the condition monitoring for a large fleet of industrial MV motors</b>  <b>B. Engels<sup>1</sup></b>, <b>A. Caprara<sup>2</sup></b>, L. Paschini<sup>2</sup>, G. Ciotti<sup>2</sup>  1: Nippon Gases, Belgium; 2: Techimp - Doble Engineering, Italy</p> <p><b>2:18pm - 2:42pm</b>  <b>Evaluation on Lifetime of Several Corona Armor Tape for Form-Wound Rotating Machines under Partial Discharge Aging</b>  <b>Y. Yamanaka<sup>1</sup></b>, R. Ikeda<sup>2</sup>, N. Okajima<sup>2</sup>, S. Kikuta<sup>2</sup>, T. Sakurai<sup>2</sup>, T. Okamoto<sup>2</sup>  1: Mitsubishi Electric Corporation, Japan; 2: Toshiba Mitsubishi-Electric Industrial Systems Corporation, Japan</p> <p><b>2:42pm - 3:06pm</b>  <b>Quantification of visual inspection results to be integrated as a diagnostic tool for hydrogenerators</b></p>	<p><b>Transformers &amp; Reactors - Oral Session 3</b>  Location: <b>Lakes Ballroom D</b>  Chair: <b>Behzad Kordi</b>, University of Manitoba, Canada</p> <p><b>1:30pm - 1:54pm</b>  <b>Insulation Failure analysis on Power transformer by FEM simulations</b>  <b>R. Ocón Valdez<sup>1</sup></b>, C P. Bravo Ortega<sup>2</sup>, F. P Espino Cortes<sup>2</sup>  1: FES Aragón Universidad Nacional Autónoma de México; 2: SEPI ESIME Zacatenco Instituto Politécnico Nacional, México</p> <p><b>1:54pm - 2:18pm</b>  <b>Dielectric failure of the electronic voltage regulator due to interaction with a power transformer during switching</b>  <b>W. Ziomek<sup>1</sup></b>, A. Babaei<sup>1</sup>, A. Gole<sup>2</sup>  1: PTI Transformers LP, Canada; 2: University of Manitoba, Winnipeg, Canada</p> <p><b>2:18pm - 2:42pm</b>  <b>Power and dielectric testing of a PCB-mounted electronic voltage regulator</b>  <b>W. Ziomek</b>, A. Babaei  PTI Transformers LP, Canada</p> <p><b>2:42pm - 3:06pm</b>  <b>Online Transformer DGA Monitoring Case Studies in Condition Assessment</b>  <b>C. Wolmarans<sup>1</sup></b>, R. Cox<sup>2</sup>  1: GE VERNOVA, South Africa; 2: GE VERNOVA, USA</p>

		<p><b>M. Levesque<sup>1</sup>, A. Merkhoul<sup>1</sup>, M. Casavant<sup>2</sup>, J. Pedneault-Desroches<sup>2</sup></b></p> <p>1: IREQ Hydro-Québec, Canada; 2: Intégration et ingénierie - Alternateurs Hydro-Québec, Canada</p>	
		<p><b>3:06pm - 3:30pm</b></p> <p><b>Rotor Winding Diagnosis using Sweep Frequency Response Analysis with Comparison to RSO</b></p> <p><b>P. Froehlich<sup>1</sup>, F. Oetti<sup>2</sup>, M. Lachance<sup>3</sup></b></p> <p>1: Brandenburg University of Technology (BTU) Cottbus-Senftenberg; 2: Omicron Technologies, Italy; 3: Omicron electronics, Canada</p>	
<p><b>4:00pm - 5:30pm</b></p>	<p><b>Rotating Machines - Oral Session 5</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Hugh Zhu</b>, Consultant, United States of America</p>	<p><b>Transformers &amp; Reactors - Oral Session 4</b> Location: <b>Lakes Ballroom C</b> Chair: <b>Nathan Jacob</b>, Camlin Energy, Canada</p>	<p><b>Power Electronics + Outdoor Insulation, Cables and Accessories - Oral Session 2</b> Location: <b>Lakes Ballroom D</b> Chair: <b>Dipankar Ghosh</b>, 3M, United States of America</p>
	<p><b>4:00pm - 4:24pm</b></p> <p><b>Optimization of thermocycling (TC) test setup of coils/bars of high-voltage rotating machines (HVRM)</b></p> <p><b>A. Nikolaev, A. Khazanov, A. Gegenava</b></p> <p>National Electric Coil, United States of America</p>	<p><b>4:00pm - 4:24pm</b></p> <p><b>Evident Bushing Insulation Issue Not So Evident to Line Frequency Power Factor</b></p> <p><b>V. Naranjo, K. Petroff, R. Gupta, S. Marathe</b></p> <p>Megger, United States of America</p>	<p><b>4:00pm - 4:24pm</b></p> <p><b>A discussion on the dependence of partial discharge inception voltage on supply voltage waveform: sinusoidal and modulated AC</b></p> <p><b>G. C. Montanari, M. Shafiq, Z. Chen</b></p> <p>Center for Advanced Power Systems, Florida State University, USA</p>
	<p><b>4:24pm - 4:48pm</b></p> <p><b>Investigation of Post Processing and Robust Insulation of High-Performance Additively Manufactured Al-Fe-Zr Electrical Machine Windings</b></p> <p><b>P. Munagala<sup>1</sup>, Y. Pang<sup>2</sup>, C. Dalton<sup>3</sup>, N. Simpson<sup>1</sup></b></p> <p>1: University of Bristol, Bristol, United Kingdom; 2: Teesside University, Middlesbrough, United Kingdom; 3: The Manufacturing Technology Centre, Coventry, United Kingdom</p>	<p><b>4:24pm - 4:48pm</b></p> <p><b>A Review of Thermal and Electrical Designs for Dry-type Transformers and Future Perspectives</b></p> <p><b>H. Xu<sup>1</sup>, S. Matharage<sup>1</sup>, Z. Wang<sup>1</sup>, D. Squire<sup>2</sup>, H. Syzwala<sup>2</sup>, M. Fazakarley<sup>2</sup></b></p> <p>1: The University of Manchester, United Kingdom; 2: IST Power, United Kingdom</p>	<p><b>4:24pm - 4:48pm</b></p> <p><b>Experience in transmission networks using automatic partial discharge diagnostic platform</b></p> <p><b>R. Gómez<sup>1</sup>, R. Reinoso<sup>1</sup>, J. Ortego<sup>2</sup>, E. Jorge<sup>2</sup></b></p> <p>1: Red Electrica de España; 2: Ampacimon, Spain</p>
	<p><b>4:48pm - 5:12pm</b></p> <p><b>The Importance of Thermal Classification in an Ever-Changing World</b></p> <p><b>C. Klein<sup>1</sup>, M. Wantuch<sup>1</sup>, S. Van Allen<sup>1</sup>, N. Frost<sup>2</sup></b></p> <p>1: Astro Chemical; 2: Frosty's Zap Lab, LLC</p>	<p><b>4:48pm - 5:12pm</b></p> <p><b>Thermal Analysis of Cast Resin Dry-Type Transformers Based on Finite Element Method</b></p> <p><b>H. Xu<sup>1</sup>, S. Matharage<sup>1</sup>, Z. Wang<sup>1</sup>, D. Squire<sup>2</sup>, H. Syzwala<sup>2</sup>, M. Fazakarley<sup>2</sup></b></p> <p>1: The University of Manchester, United Kingdom; 2: IST Power, United Kingdom</p>	<p><b>4:48pm - 5:12pm</b></p> <p><b>A more appropriate testing method for the characterization of dielectric systems</b></p> <p><b>P. Seri<sup>1</sup>, D. Demian<sup>1</sup>, A. Reolon<sup>2</sup>, A. Cavallini<sup>1</sup></b></p> <p>1: University of Bologna, Italy; 2: Serigroup, Italy</p>

	<p><b>5:12pm - 5:36pm</b></p> <p><b>Determination of insulation system thermal class: history and state of the standards</b></p> <p><b>N. Frost<sup>1</sup>, H. Penrose<sup>2</sup>, D. Stankes<sup>3</sup>, C. Stroud<sup>4</sup>, M. Winkeler<sup>5</sup></b></p> <p>1: Frosty's Zap Lab, LLC; 2: Motor Doc, LLC; 3: 3M; 4: EMC, Electric &amp; Motor Contracting, Co.; 5: Elantas PDG, Inc.</p>	<p><b>5:12pm - 5:36pm</b></p> <p><b>Reclaiming of Aged Natural Ester Insulating Liquid</b></p> <p><b>R. Da Silva<sup>1</sup>, L. De Oliveira<sup>2</sup>, C. Lisboa<sup>3</sup>, F. Fabrin<sup>3</sup></b></p> <p>1: Cargill, USA; 2: Cargill, Brazil; 3: Ecofluid, Brazil</p>	<p><b>5:12pm - 5:36pm</b></p> <p><b>Evaluation of Additively Manufactured Electrostatic Discharge Materials</b></p> <p><b>C. Hal<sup>1,2</sup>, J. Francois<sup>1</sup>, A. K. Das<sup>1,2</sup>, N. Guvvula<sup>1,2</sup>, S. Bernadin<sup>1</sup>, S. Pamidi<sup>1,2</sup>, P. Cheetham<sup>1,2</sup></b></p> <p>1: FAMU-FSU COLLEGE OF ENGINEERING, United States of America; 2: Center for Advanced Power Systems Tallahassee</p>
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Date: Wednesday, 05/June/2024**

<p><b>8:00am</b> - <b>9:30am</b></p>	<p><b>NEMA Panel on Electrification of Transportation</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Steve Griffith</b>, NEMA, United States of America</p>		
<p><b>10:00am</b> - <b>12:00pm</b></p>	<p><b>Transportation Systems (auto, rail, aerospace, and marine) - Oral Session 1</b> Location: <b>Lakes Ballroom A</b> Chair: <b>Steve Griffith</b>, NEMA, United States of America</p>	<p><b>Rotating Machines - Oral Session 6</b> Location: <b>Lakes Ballroom C</b> Chair: <b>Greg Stone</b>, Stone Dielectrics, Canada</p>	<p><b>Transportation Systems + Batteries and Energy Storage - Oral Session 1</b> Location: <b>Lakes Ballroom D</b> Chair: <b>Richard Cselko</b>, Budapest University of Technology and Economics, Hungary</p>
<p><b>10:00am - 10:24am</b></p> <p><b>Partial discharge characteristics for surface discharges at variable atmospheric pressure</b></p> <p><b>S. B. Myneni, M. Shafiq, G. C. Montanari</b></p> <p>Center for Advanced Power Systems, Florida State University, Tallahassee, FL, USA.</p>	<p><b>10:00am - 10:24am</b></p> <p><b>Inverter voltage endurance testing of twisted pairs acc. IEC 60851 with a self-developed, adjustable generator</b></p> <p><b>C. Staubach<sup>1</sup>, B. Sahan<sup>1</sup>, A. Litinsky<sup>2</sup></b></p> <p>1: University of Applied Sciene Hannover, Germany; 2: Axalta Coating Systems</p>	<p><b>10:00am - 10:24am</b></p> <p><b>Enhancing Grid Performance with AMPD Voltage Peak Detection in Smart Grids</b></p> <p><b>W. A. Shah<sup>1</sup>, I. Hussain<sup>2</sup>, G. M. Casolino<sup>3</sup>, P. Verde<sup>4</sup></b></p> <p>1: Namal University Mianwali, Pakistan, Pakistan; 2: Dipartimento di Ingegneria Elettrica e dell'Informazione "M. Scarano", Università di Cassino e del LM, Via G. Di Biasio 43, 03043 Cassino, FR, Italy; 3: Dipartimento di Ingegneria Elettrica e dell'Informazione "M. Scarano", Università di Cassino e del LM, Via G. Di Biasio 43, 03043 Cassino, FR, Italy; 4: Dipartimento di Ingegneria Elettrica e dell'Informazione "M. Scarano", Università di Cassino e del LM, Via G. Di Biasio 43, 03043 Cassino, FR, Italy</p>	
<p><b>10:24am - 10:48am</b></p> <p><b>Minimizing partial discharge inception risk in DC cables during energization and voltage transients</b></p> <p><b>G. C. Montanari, S. B. Myneni</b></p> <p>Center for Advanced Power Systems, Florida State University, Tallahassee, FL, USA.</p>	<p><b>10:24am - 10:48am</b></p> <p><b>Using DFR measurements for the condition assessment of stator winding insulation systems</b></p> <p><b>M. Lachance<sup>1</sup>, É. David<sup>2</sup></b></p> <p>1: OMICRON electronics Canada Corp; 2: École de technologie supérieure</p>	<p><b>10:24am - 10:48am</b></p> <p><b>Electrical Conductivity Measurement of Dielectric Materials at Cryogenic Temperatures</b></p> <p><b>A. K. DAS<sup>1,2</sup>, N. Guvvala<sup>1,2</sup>, S. Pamidi<sup>1,2</sup>, P. Cheetham<sup>1,2</sup></b></p> <p>1: FAMU-FSU COLLEGE OF ENGINEERING, United States of America; 2: Center for Advanced Power Systems, United States of America</p>	
<p><b>10:48am - 11:12am</b></p> <p><b>Towards the standardization of impulse tests used for quality control of electrical machines used in road transportation</b></p> <p><b>A. Cavallini<sup>1</sup>, N. Frost<sup>2</sup>, S. Jayaram<sup>3</sup>, P. Seri<sup>1</sup></b></p> <p>1: University of Bologna, Italy; 2: Frosty Zaplab; 3: University of Waterloo</p>	<p><b>10:48am - 11:12am</b></p> <p><b>Enhancing Motor Reliability for Thermal and Environmental Stresses</b></p> <p><b>D. Tedesco, R. G. Andrzejewski</b></p> <p>WEG Equipamentos Elétricos S.A, Brazil</p>	<p><b>10:48am - 11:12am</b></p> <p><b>Development of PD Detection System for Propulsion Coils Arranged on Both Sidewalls of U-Shaped Guideways in Superconducting Maglev Systems Using Two On-Board Radio Interferometer Systems with Vector-Antennas</b></p> <p><b>M. Kawada</b></p> <p>Tokushima University, Japan</p>	
<p><b>11:12am - 11:36am</b></p> <p><b>Impact of insulating horns on the electrical performance of train pantographs</b></p> <p><b>G. Girelli<sup>1</sup>, P. Lewin<sup>1</sup>, C. Reed<sup>1</sup>, N. Palmer<sup>1</sup>, P. Naylor<sup>2</sup>, R. Stainton<sup>2</sup>, M. Atkins<sup>3</sup></b></p> <p>1: University Of Southampton, United Kingdom; 2: Network Rail, United Kingdom; 3: Brecknell Willis, United Kngdom</p>	<p><b>11:12am - 11:36am</b></p> <p><b>Insipient Insulation Fault Detection Using Phase-Resolved Partial Discharge Pattern Matching</b></p> <p><b>A. Abubakar, C. Zachariades</b></p> <p>University of Liverpool, United Kingdom</p>	<p><b>11:36am - 12:00pm</b></p> <p><b>Experience on VLF Diagnostic Testing of the Stator Winding Insulation</b></p> <p><b>H. Zhu</b></p> <p>BC Hydro</p>	
<p><b>11:36am - 12:00pm</b></p>	<p><b>11:36am - 12:00pm</b></p> <p><b>Experience on VLF Diagnostic Testing of the Stator Winding Insulation</b></p> <p><b>H. Zhu</b></p> <p>BC Hydro</p>	<p><b>11:36am - 12:00pm</b></p>	

	<p><b>EVALUATION OF GLASS TRANSITION TEMPERATURE AND THERMAL SHOCK OF IMPREGNATING RESINS</b></p> <p><b><u>M. Winkeler</u></b></p> <p>ELANTAS PDG, Inc., United States of America</p>		<p><b>11:12am - 11:36am</b></p> <p><b>Arc constraint-flash sintering of ZnO<sub>2</sub> doped alumina at room temperature at different air pressure</b></p> <p><b>Y. Li<sup>1</sup>, Z. Yan<sup>2</sup>, J. Wang<sup>3</sup>, H. Zhang<sup>4</sup>, Z. Shen<sup>5</sup>, <u>X. WANG</u><sup>1</sup></b></p> <p>1: Tsinghua University, China, People's Republic of; 2: State Grid Tianjin Chengxi Electric Power Supply Company; 3: China National Electrical Apparatus Research Institute; 4: Electric Power Research Institute, CSG Guangzhou, China; 5: South China University of Technology, Guangzhou, 510641, China</p>
<p><b>12:00pm</b> - <b>12:45pm</b></p>	<p align="center"><b>Conference Closing and Best Papers Awards</b></p> <p align="center">Location: <b>Lakes Ballroom A</b></p> <p align="center">Chair: <b>Alan Sbravati</b>, Hitachi Energy, United States of America</p>		